




FSP-F.M

Order Code : #1901



Item	Production Capacity
1 Blank Mask Machine	80 pcs/min
2 Earloop Welding Machine	40 pcs/min × 2 sets

E.S.P.F.M/M With Conveyor (1 Blank Mask Machine + 2 Earloop Welding Machine + Conveyor)





The Technical Data of Mask Body Machine:

Model	F.S.P.E.M
Basic Application	three-layer masks
Machine Weight	2000 kg
Machine size	The Length: 7000 mm ; The Width: 2600 mm ; The Height: 2000 mm
Required Environment	Humidity: 5% - 35% HR; Temperature: 10 – 40 degrees ; no dust, no Flammable and Corroded Air
Air Pressure	300 L/min , 0.5-0.7 MPA
Electric Specification	220 v \pm 5% , 50 Hz, Single Phase, 11 kw
Finished Mask Size	17.5 cm * 9.5 cm (can be customized)
Production capacity	80 pcs/min
Daily production capacity	38000 pcs/hours

The Technical Data of Earloop Welding Machine:

Model	F.S.P.E.M
Basic Application	Swipe the flat mask
Machine Weight	560 kg
Machine size	The Length: 1850 mm ; The Width: 1100 mm ; The Height: 1800 mm
Required Environment	Humidity: 5% - 35% HR; Temperature: 10 – 40 degrees ; no dust, no Flammable and Corroded Air
Air Pressure	300 L/min , 0.5-0.7 MPA
Electric Specification	220 v \pm 5% , 50 Hz, Single Phase
Finished Mask Size	17.5 cm * 9.5 cm (can be customized)
Production capacity	40 pcs/min





3-layer Flat Mask Production Line

